

# REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-02-

the  
ing  
2-  
entity

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-4302). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for fail valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

0374

<b>1. REPORT DATE (DD-MM-YYYY)</b> 15-09-2002		<b>2. REPORT TYPE</b> Final Technical		15-03-2001 - 14-09-2002	
<b>4. TITLE AND SUBTITLE</b> (U) Next Generation Diode Lasers for Wavelength Multiplexed  Propulsion Sensors				<b>5a. CONTRACT NUMBER</b>	
				<b>5b. GRANT NUMBER</b> F49620-01-1-0229	
				<b>5c. PROGRAM ELEMENT NUMBER</b> 61103D	
<b>6. AUTHOR(S)</b>  R. K. Hanson				<b>5d. PROJECT NUMBER</b> 3484	
				<b>5e. TASK NUMBER</b> US	
				<b>5f. WORK UNIT NUMBER</b>	
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b>  Department of Mechanical Engineering Stanford University Stanford CA 94305-3030				<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b>	
<b>9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b> AFOSR/NA 801 North Randolph Street Room 732 Arlington VA 22203-1977				<b>10. SPONSOR/MONITOR'S ACRONYM(S)</b>	
				<b>11. SPONSOR/MONITOR'S REPORT NUMBER(S)</b>	
<b>12. DISTRIBUTION / AVAILABILITY STATEMENT</b>  Approved for public release; distribution is unlimited					
<b>13. SUPPLEMENTARY NOTES</b>					
<b>14. ABSTRACT</b>  Equipment listed in the report was purchased under the Department of Defense University Research Instrumentation Program (DURIP)					
<b>15. SUBJECT TERMS</b>  diode laser spectroscopy					
<b>16. SECURITY CLASSIFICATION OF:</b>			<b>17. LIMITATION OF ABSTRACT</b>	<b>18. NUMBER OF PAGES</b>	<b>19a. NAME OF RESPONSIBLE PERSON</b> Julian M. Tishkoff
<b>a. REPORT</b> Unclassified	<b>b. ABSTRACT</b> Unclassified	<b>c. THIS PAGE</b> Unclassified			<b>19b. TELEPHONE NUMBER (include area code)</b> (703) 696-8478

20021126 037

23 SEP 2002

**Final Technical Report**

**Next-Generation Diode Lasers for  
Wavelength-Multiplexed Propulsion Sensors**

**AFOSR Grant F49620-01-1-0229**

**Prepared for**

**AIR FORCE OFFICE OF SCIENTIFIC RESEARCH**

**For the Period**

**March 15, 2001 to September 14, 2002**

**Submitted by**

**R. K. Hanson, Principal Investigator**

Department of Mechanical Engineering  
Stanford University  
Bldg 530, Room 112  
Stanford, CA 94305-3030

**HIGH TEMPERATURE GASDYNAMICS LABORATORY**  
Mechanical Engineering Department  
Stanford University

# **Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors**

**Ronald Hanson  
Department of Mechanical Engineering  
Stanford University, Stanford, CA 94305**

## **EQUIPMENT ACQUIRED**

Table 1 lists the equipment purchased by the DURIP Grant, Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors, AFOSR Grant F49620-01-1-0229 and matching funds from Stanford University Cost Sharing Accounts. This contract initially covered the period 03/15/01 to 03/14/02, but was extended to end on 09/14/02.

## **RESEARCH SUMMARY**

The application of laser-based diagnostics to reacting flows has enabled extraordinary advances in our understanding of advanced propulsion concepts and engine design during the past two decades. Modern propulsion facilities are now commonly equipped with laser-based test equipment for flow visualization, spray characterization, and planar laser-induced fluorescence measurements of temperature, fuel mixing, and combustion intermediate species.

The development of inexpensive, rugged, solid-state laser sources by the telecommunications industry has led to a new revolution in practical and portable sensors for high-speed reacting flows. Simultaneous multi-parameter measurements using diode laser-based sensors now offer prospects for real-time combustion control. This equipment grant provides equipment to enable research to develop the next generation of diode laser sensors, which we envision will use diode lasers with wavelengths that are outside the telecommunications bands to enable detection of important combustion species such as: CO, NO, and hydrocarbon fuels.

This equipment grant was focused on three areas: novel new quantum cascade lasers operating in the mid-infrared, addition of fuel-measurement channels to an existing wavelength-multiplexed near-infrared diode laser sensor, and novel high-speed wavelength-tuning techniques to enable more robust near-infrared measurements in harsh environments. The equipment list in Table 1 shows the distribution of expenses in the three focus areas.

This new equipment will expand the range of our current studies, as previous experiments in our laboratory were unable to measure propane fuel or NO. Using this equipment, researchers at Stanford will be able to investigate the background spectroscopy needed to develop and apply such sensors to combustion and propulsion flows. We have already chosen scanned- and fixed-wavelength strategies for propane detection and recently completed a proof-of-concept demonstration of a diode laser sensor for propane filling of laboratory combustors (including a pulse detonation engine) using equipment provided by

this grant. The new lasers for NO have arrived and initial spectroscopic and flame demonstration measurements are underway. The new CW Nd:YAG has been used to repetitively and rapidly heat a standard DFB laser for fast wavelength scanning applications.

TABLE 1: Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors

<i>Item</i>	<i>Supplier</i>	<i>Cost (\$)</i>
<b>Quantum Cascade Laser Sensor</b>		
Lasers for NO detection near 5.2 $\mu\text{m}$ , plus pulser, housing, and temperature controller	Alpes Laser	34,153
High Modulation Frequency Laser Mount, with TC cooler and collimation optic	PSI Corp	8,660
Multipass cell for sensitive detection of optical absorption	Scienza, Inc	7,048
<b>Multi-Channel Diode Laser Sensor</b>		
Temperature controlled laser mounts for 6 laser sensor	ILX Lightwave	9,156
Current and temperature controller for multi-channel laser sensor	ILX Lightwave	11,638
Diode lasers custom made at 1.68 $\mu\text{m}$ to detect propane fuel	Laser Components	10,914
<b>High-Speed Wavelength Tuning</b>		
High-power, CW Nd:YAG for rapid diode laser tuning	Coherent	53,630
High-speed pulsed power supply for rapid modulation of diode lasers	Agilent	6,260
Retrofit pulsed laser	Lambda Physics	26,129
Miscellaneous optics	Thorlabs, Iolon, etc	212
<b>TOTAL</b>		<b>\$167,800</b>